
RecordTS Enterprise v4.1 for VMware Horizon

Installation Guide





<http://www.tsfactory.com>

Copyright Notice and Trademark

© 2018 TSFactory LLC. All Rights Reserved.

RecordTS and the TSFactory logo are registered trademarks or trademarks of TSFactory LLC, or its affiliated entities.

VMware, Horizon and the VMware logos are registered trademarks or trademarks of VMware, or its affiliated entities.

Information in this document is subject to change without notice. Companies, names, and data used in examples herein are fictitious unless otherwise noted. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of TSFactory LLC.

Every effort has been made to ensure the accuracy of this manual. However, TSFactory LLC makes no warranties with respect to this documentation and disclaims any implied warranties of merchantability and fitness for a particular purpose. TSFactory LLC shall not be liable for any errors or for incidental or consequential damages in connection with the furnishing, performance, or use of this manual or the examples herein. The information in this document is subject to change without notice.

Version 1.2 – Updated October 27th, 2018

End User License Agreement

RecordTS by TSFactory LLC is protected by an End User License Agreement. To view the agreement, visit the company website at www.tsfactory.com, under RecordTS Documentation.

Contents

- Introduction 7**
 - What is RecordTS?7
 - Main Features.....7
 - Security/Audit compliance.....7
 - Developed for VMware Horizon v7.57
 - Per user session recording7
 - How does RecordTS work?.....8

- Quick Overview 10**
 - Recorder 10
 - Dashboard 11
 - License Service 11
 - Storage 12

- Installing Base Modules 13**
 - Overview 13
 - WARNINGS: Read This Before You Start... 14
 - Prerequisites..... 15
 - Step 1: Making a Place to Store Session Data 16
 - RecordTS Storage Server 16
 - How to Install the RecordTS Storage Server 16
 - Step 2: Installing the RecordTS License Service 20
 - How to install the RecordTS License Service 20
 - Step 3: Installing the Dashboard Console service..... 21
 - How to install the RecordTS Dashboard Console Service 21
 - Step 4: Configuring Dashboard and the License Service 22
 - Configuring Dashboard for RecordTS Storage Server 22
 - Configuring Dashboard Security Access 24
 - Configuring the RecordTS License Service 25

- Installing Recorders 29**
 - Overview 29
 - General process 29
 - Recorder Types 30
 - Prerequisites..... 30
 - Installation Steps 31
 - Pre-installation Requirements 31
 - Installing the Recorder 31
 - Configuring the Recorder 35

- Playing Recorded Sessions 38**

- Optimizing RecordTS 40**
 - Dashboard Features 40
 - Remote Dashboard Access 40
 - Database Purging 41
 - Retaining Sessions 41
 - Setting up User Accounts 42
 - Adding Users..... 42
 - Editing Users..... 43

Deleting User Accounts	43
Recorder Features.....	44
Buffer Settings.....	44
RecordTS Storage Server Backup Tool	46
Help.....	46
Backup	47
Restore.....	47
Check	48
Info	49
Backup Tool Examples	50
Mapping a Network Drive.....	50
Examples	52
Support	54
How to get support	54
Dashboard Problems.....	54
Licensing Problems	55
Recorder Problems.....	55
List of Service Ports.....	56

This page intentionally left blank.

Introduction

What is RecordTS?

RecordTS is a remote desktop session recorder for Windows Terminal Services and VMware Horizon. What does it mean exactly? It means once installed on a server running VMware Horizon View Agent, administrators will be able to record everything users are doing during their sessions for later playback and/or archiving. It's pretty much the same as watching a video on your computer! Thanks to this product you can:

- Track who is connected to the server and see what they do.
- View selected recordings for a specific user, during a specific time period, etc.
- Track users actions that might have caused problems on a server.
- Save recorded sessions to the RecordTS Storage Server.

Main Features

Security/Audit compliance

Instead of looking at hundreds of entries in log files, RecordTS allows you to actually see everything that was done - as it happened. You can archive all recorded sessions for later playback, and in case of an audit it is just a matter of finding a particular session and watching!

Developed for VMware Horizon v7.5

Although other similar solutions do exist in the market, RecordTS is the first and only solution that integrates directly with VMware Horizon v7.5. This means increased performance and scalability, with much smaller recordings. RecordTS is NOT a screen capture program or screen scraper and is very difficult if not impossible to circumvent.

Per user session recording

Recorded sessions are saved individually on a per user basis. Recordings are stored in a database for later retrieval and replay.


How does RecordTS work?

RecordTS integrates directly with VMware Horizon v7.5 View Agent. Once a user connects remotely to a desktop or application, the session video is streamed to a central database. As RecordTS was developed from the ground up specifically for VMware Horizon, this process does not affect your server performance, scaling easily once more users and/or servers are added to the system.

Following are functional and network diagrams of typical network configurations of RecordTS v4 for VMware Horizon v7.5.


The next section will discuss the individual components in detail.

The diagram below shows only one Recorder, but there can be as many Recorders as needed. The upper limit on Recorders is dictated by database/storage server loading. Multiple database storages will be required to handle large server farms. Each recorder is installed on a Windows server or workstation with a Horizon View Agent.



**RecordTS v4 for VMware Horizon v7.5
Functional Diagram**

The following diagram shows a typical network layout of the RecordTS components integrated with the VMware Horizon architecture. Note that the Dashboard and License services are normally installed to the same machine and can be co-located with the database/storage server (however not recommended). For larger installations the database/storage server should be located on a separate machine to minimize loading when viewing sessions, enhance security and allow for larger drive space.



RecordTS v4 for VMware Horizon View Network Configuration

Quick Overview

Below is the list of basic components of RecordTS. Each component will be discussed more in depth further into the manual.

- **Recording Service (Recorder)**
- **Dashboard**
- **License Service**
- **Database / Storage Server**

Recorder

The basic component of RecordTS is the Recording Service or Recorder, installed on each of the target machines to be recorded. Its main job is to record remote user sessions and stream the video data to a central storage. From the time RecordTS Recorder is installed and properly configured on a Windows server or workstation with Horizon View Agent, each user session will be recorded and streamed to a database or storage server in MP4 video format. Recorded sessions will contain additional information about each session: computer name and IP address, user name, connection time and duration, etc. For each individual user, recorded sessions are stored separately.

The recorded sessions can be viewed or played as a video using the RecordTS Webplayer or exported to a common video format supported by most media players.

Dashboard

The RecordTS Dashboard is a web console app that allows the admin to centrally manage recorders, licensing and view recorded sessions. There is also statistics available for user and server usage. The Dashboard is where the admin can configure and manage the RecordTS License Service and authorize recorder installs on servers and other components such as additional dashboards and modules.

License Service

RecordTS implements a multi-mode based licensing scheme, where products can be purchased as a subscription, to use for a period of time (pay as you go), or perpetual license (one-time payment) with the option for renewable support and upgrade plans. A software license or subscription must be purchased in order to authorize use of RecordTS software components.

NOTE: Trial subscriptions are available to allow advance testing of RecordTS on-site prior to purchase with ***no licensing required*** during the trial period.

The RecordTS License Service must be installed to authorize RecordTS components for use. The License Service can be configured from the Dashboard console. Once the License Service is properly configured, the customer will be directed to obtain a ***license key*** or ***subscription ID*** to authenticate the License service once the trial period has expired. Without the license key or subscription ID, the license service will not enable any RecordTS components.

For subscription licensing only:

Obtaining a subscription ID

The customer will need to create a customer account on the TSFactory website. The customer account will have subscription information, links to download the software and pertinent documentation. A TSFactory partner or one of our sales associates can assist you with this process. Once you have a customer account, you will log in and locate your subscription ID. You will need to copy and paste it into the appropriate field in the Dashboard license service configuration when required.

Once the License Service is authenticated, it can authorize RecordTS component requests such as Recorders (servers), remote connections (users) and enable extended functionality of the Dashboard itself as well as other components and products when they become available. The License service will solicit the TSFactory website for subscription information based on which products the customer has purchased, unless an offline license has been purchased.

During the trial period, the License server will allow as many servers and users that are needed for the trial period (usually 30 days). Once the trial expires, the system will stop recording until additional time is purchased.

NOTE: It is strongly suggested to purchase or renew subscriptions prior to expiration to avoid disruption of service.

Storage

RecordTS VMware Horizon Recorders stream session data to a central location for safe keeping and easy session playback. For this recorder only, there is currently only one option available for storing sessions:

- RecordTS Storage Server (included)

The RecordTS Storage Server must be setup and configured for use **prior** to installation of Dashboard and the Recorders. It is recommended to locate the storage system on a machine that has sufficient drive space available for storing session videos.

NEW IN VERSION 4: RecordTS File Storage Server

What it does: Replaces database storage

Advantages: Free (no need to buy SQL Server Licenses), much faster and efficient than database storage (up to 40x faster), extremely simple to manage (no need for a SQL expert on staff).

Session recording can be buffered in case the storage server becomes temporarily unavailable, slows down or the network becomes unstable, etc. Once connectivity to the database/storage is restored, buffered session data will be dumped to the storage server and normal operation will continue. If connectivity to the storage server is disrupted for extended periods of time, the buffers may fill completely and sessions will be suspended until connectivity to the storage server is restored.

Database session purging is available to automatically remove session videos past a specified number of days.

Installing Base Modules

Overview

RecordTS is made up of five major components: License service, Dashboard console, RecordTS Storage server, various Recorders and a session player. It is assumed a storage server is preinstalled and ready for remote connections and that the prerequisite software and configurations have been made prior to installing the RecordTS components.

The order of installation is as follows:

1. RecordTS Storage Server
2. License service
3. Dashboard console
4. Recorders

WARNINGS: Read This Before You Start...

Uninstall Older Versions

You cannot upgrade from older versions RecordTS (v1, v2 or v3) to RecordTS v4. You need to uninstall any older versions of RecordTS and reboot before installing v4.

Not on a RD or TS gateway

RecordTS is not intended to be installed on an RDGateway or TSGateway and may prevent either software from functioning properly.

Beware of AV, Backup and Dictation Software

Some third party software packages can interfere with the RecordTS recorder service installation and operation. Software such as antivirus, backup and dictation software can prevent RecordTS from installing or recording properly.

- These packages must be completely disabled during installation.
- Some dictation software may need to be disabled or completely removed in order for RecordTS to operate properly.

Backup, Backup, Backup!

As with any new software, you should make a **complete backup** of the machines before installing RecordTS. This will enable you to quickly return the systems back to the way they were if you run into any problems.

Read This Manual

RecordTS is server-grade software, meaning it is intended for professionals that have a working knowledge of server and network management. There is a lot of useful and important information in this manual. Read it and save yourself some headaches and time. Get help if you have questions or need help installing and configuring RecordTS. There are some great trouble shooting tools towards the end of this manual.

Ask Questions

We are here to help you. If you are not sure about any aspect of how RecordTS works or is installed, then please contact our support department or one of our partners. You are probably not the first person to ask your question or be confused about this type of software. Servers are complicated and can be tricky to program. Contact us before installing or configuring so we can explain the process and help you have a great experience.

Prerequisites

VMware Horizon v7.5 installed and properly configured and tested.

A functioning storage server, configured to accept remote connections.

For VMware Horizon v7.5, there is only one option:

RecordTS Storage Server	Installed anywhere that all components can access remotely
--------------------------------	--

At least 1 or 2 server grade machines:

1. Dashboard and license services installed with Windows 2008R2 or Windows 2012R2 or Windows 2016 or Windows workstation v8.1 or higher.
2. At least one Windows machine to log in remotely from using the VMware Horizon View Client software.
3. A domain admin account (or equiv) that has access to all machines in the test.
4. **All machines must be part of the same domain under Active Directory IF you use Windows Authentication**
5. All machines must have their firewalls either turned off or properly configured with firewall rules to permit access for the RecordTS components to communicate with each other.
6. Certain programs such as antivirus and backup software can interfere with the proper installation and operation of RecordTS software, especially the recorders. It is strongly recommended to completely disable these programs on the recorded machines prior to installation. The antivirus and backup programs should be configured to ignore the RecordTS working folders and the RecordTS program processes if they are to be enabled after installation.

WARNING: RecordTS Single Server Edition cannot not be used for testing with VMware Horizon. The Single Server Edition will work with VMware Horizon.

Upgrading: There is **no** upgrade path from older versions of RecordTS. All previous versions of RecordTS **must be removed** before installing v4!

Step 1: Making a Place to Store Session Data

The RecordTS for VMware Horizon Recorders will stream session data to a central storage area that must be setup and configured prior to installing any other components. You have only one option for storage:

- RecordTS Storage Server

RecordTS Storage Server

The RecordTS Storage Server may be installed on a machine by itself (preferred) or collocated with the RecordTS Dashboard/License services.


The server should be domain joined and have its firewall either disabled or configured to accept connections from the other RecordTS components. Also, plan for enough drive space to store the amount of sessions you would like to retain. Usually a terabyte or more is required.

How to Install the RecordTS Storage Server


1. Download and run the RecordTS-Storage-Server-4.1.xxxx.msi installation file on the machine that the storage server is to reside. The installation wizard will appear. Close all other programs and then click Next.



- Carefully read the license agreement. If you agree to the terms, select the check box to confirm acceptance of the agreement. Click Next to continue installing. To exit Setup, click Cancel.



- Select the directory where the RecordTS storage server program files will be installed and where the data will be stored. Only local directories on the local machine can be used. If you do not want to use the default directory suggested by the installer, click Browse... to choose another directory. Then click Next.



4. Enter the credentials for a new admin account that will be created for you. This account will have sole access to the storage server and be required in the Dashboard and Recorder configurations.

Important: Write down the admin credentials and keep in a safe place!



RecordTS Storage Server Setup

Setup Storage Server Password

Please enter new storage server password

TSFactory


Enter new login:

Enter new password:

Confirm password:

Back Next Cancel

5. Configure firewall rules. Select the firewall profiles to add then select the connection type. Secure connection will allow encrypted traffic to the Storage Server from other components. This option must be configured on all components; otherwise unencrypted traffic will be used. You may check both types if you are unsure which type will be implemented then later remove the unused firewall rule.



RecordTS Storage Server Setup

Windows Firewall Rules

TSFactory

Firewall rules allowing incoming connections are required in order for RecordTS Storage Server to work properly.

Please select the profiles to add Windows Firewall rules to below:

Domain

Private

Public


Please select the connection type to add Windows Firewall rules to below:

Unencrypted connection (2022 port)

Secure connection (2023 port)

Back Next Cancel

6. To start the installation program, click Install. To modify the installation options that are mentioned in the previous steps, click Back. To exit Setup, click Cancel.



7. Once the installation program finishes copying the necessary files to the system, the installation process has successfully completed. To exit the installation wizard, click Finish.
8. The RecordTS Storage Server Service will appear in the Windows Services applet. Check to make sure the service is started.
9. You may now proceed to installing the License Service.

Step 2: Installing the RecordTS License Service

The RecordTS Dashboard may be installed on the same machine as the RecordTS license service. The box should be domain joined and have its firewall set, if enabled, to allow connections from Dashboard, the database server and recorders (other terminal servers and Windows machines being recorded).

Note: after installing the RecordTS License Service, the service will appear in the Windows Services applet. It should be started.

How to install the RecordTS License Service

1. Download and run the RecordTS-LicenseServer-4.x.xxx.msi installation file on the machine that the license service is to reside. The installation wizard will appear. Close all other programs and then click Next.
2. Carefully read the license agreement. If you agree to the terms, select the check box to confirm acceptance of the agreement. Click Next to continue installing. To exit Setup, click Cancel.
3. Select the directory where the RecordTS license service program files will be installed. Only local directories on the local machine can be used. If you do not want to use the default directory suggested by the installer, click Browse... to choose another directory. Then click Next.
4. Select profiles to add firewall rules. This step will automatically add firewall rules to allow connections from other modules.
5. To start the installation program, click Install. To modify the installation options that are mentioned in the previous steps, click Back. To exit Setup, click Cancel.
6. Once the installation program finishes copying the necessary files to the system, the installation process has successfully completed. To exit the installation wizard, click Finish.
7. The RecordTS License Service will appear in the Windows Services applet. Check to make sure the service is started.
8. You may now proceed on to installing the Dashboard webconsole.

Step 3: Installing the Dashboard Console service

The RecordTS Dashboard Console Service must be installed on a Windows Server machine. RecordTS Dashboard may be installed on the same machine as the license service. The box should be domain joined and have its firewall configured (if enabled) to allow connections to the database server and from the recorders (other terminal servers and/or Windows machines being recorded).

Note: after installing the RecordTS Dashboard Console Service, the service will appear in the Windows Services applet along with the RecordTS License Service, if installed, together on the same machine.

How to install the RecordTS Dashboard Console Service

1. Download and run the RecordTS-Dashboard-4.1.xxx.msi installation file on the machine that the license service is to reside. The installation wizard will appear. Close all other programs and then click Next.
2. Carefully read the license agreement. If you agree to the terms, select the check box to confirm acceptance of the agreement. Click Next to continue installing. To exit Setup, click Cancel.
3. Select the directory where the RecordTS Dashboard service program files will be installed. Only local directories on the local machine can be used. If you do not want to use the default directory suggested by the installer, click Browse... to choose another directory.

You may uncheck “Create WebUI Shortcut” to prevent installing shortcuts to each user’s application list. You can access the Dashboard webUI with this URL: <http://localhost:8084>.

Click Next to continue.

4. Select profiles to create firewall rules for. Click Next to continue.
5. To start the installation program, click Install. To modify the installation options that are mentioned in the previous steps, click Back. To exit Setup, click Cancel.
6. Once the installation program finishes copying the necessary files to the system, the installation process has successfully completed.
7. Uncheck the “Edit configuration now” checkbox.
8. To exit the installation wizard, click Finish.
9. You may now continue on with configuring the Dashboard and license services.

Step 4: Configuring Dashboard and the License Service

The RecordTS Dashboard Console is used to configure the RecordTS license service and various other components to do the following:

- ✓ Connect to the database/storage server to create a database (if none exists), and manage it.
- ✓ Authorize RecordTS software components for use, such as the recorders, remote user connections and all Dashboard instances, along with future RecordTS integrated products and components.
- ✓ Display a list of recorded sessions for the user to browse and play back.
- ✓ Setup user accounts to control access to Dashboard.
- ✓ Display licenses and usage information.

For Subscription Customers only:

- ✓ Connect to the TSTFactory website servers to obtain subscription license information using a subscription ID supplied from the online customer account (you need to create one).

Configuring Dashboard for RecordTS Storage Server

1. Display the Dashboard console by locating the program shortcut in the programs list and selecting it.
2. The Dashboard Console should display in the default browser window. If it fails, then a possible problem could be that another program is using the assigned port 8084. This can be changed in the base configuration. Contact support for help with this.
3. First thing to configure is the storage server settings. RecordTS Storage Server should be selected. Change this if it is not. (see figure 3-1)

The screenshot shows the 'RecordTS Dashboard' interface. At the top, there is a green header with the text 'RecordTS Dashboard'. Below this, the 'Initial setup' section is visible, with a sub-section for 'Storage server settings'. There are three radio button options: 'Use RecordTS Storage Server' (which is selected), 'Use Microsoft SQL Server', and 'Use PostgreSQL Server'. Below these options, there are input fields for 'Hostname', 'Credentials', and 'Enable TLS'. A 'Next >' button is located at the bottom right of the form.

Figure 3-1: Storage Server Settings

4. Enter the host server name where the Storage Server is installed, admin username and password that was used during install of the storage server. Click Next to continue.

5. You should now be presented with a summary of the RecordTS Storage Server database settings. Click Save if they are correct, otherwise click Previous to go back and change settings.





Figure 3-2: Confirming Storage Server Settings

6. Move on to configuring Dashboard security access.

Configuring Dashboard Security Access


After saving the database settings, you will be required to enter administrative logon credentials for both Dashboard and License Server access. Enter a username and password for administrative access to the Dashboard webconsole (see figure 4-1).



The screenshot shows the RecordTS Dashboard interface. At the top, there is a green header with the text "RecordTS Dashboard". Below the header, a message reads "Please now set credentials for RecordTS Dashboard administrator." In the center, there is a white box titled "Configure Authorization". Inside this box, there are three input fields labeled "Login:", "Password:", and "Confirm:". Below these fields is a green button labeled "Set Credentials".

Figure 4-1: Creating Dashboard Administrator Credentials

Log into the Dashboard webconsole using the credentials entered in the previous step. Make sure you write down the username and password and store them in a secure place (see figure 4-2).



The screenshot shows the RecordTS Dashboard interface. At the top, there is a green header with the text "RecordTS Dashboard". Below the header, there is a white box titled "Authorization Required". Inside this box, there are two input fields labeled "Login:" and "Password:". Below these fields is a green button labeled "Log In".

Figure 4-2: Logging into the Dashboard Webconsole

After logging into the Dashboard webconsole, some warnings will be displayed. This is normal. Refer to figure 4.3.

NOTE: The warning messages will clear once the license service is configured properly.

1. Set the Security setting "Connections allowed" to "From any computer" to allow remote session playback from other computers.
2. Click Save Config

Continue on to configuring the License Server.

Figure 4-3: Saving the Dashboard Configuration.

Configuring the RecordTS License Service

1. If the License Service is located on a different server then enter that server name in the License Server Host field. You should leave the default port value unless it was changed.
2. Click on the Licensing tab and you should be presented with license service administrator logon credential fields (see figure 4-4).
3. Enter a username and password for the License Service administrator. This is NOT a Windows user account. You will need to enter the password a second time in the Confirm field.
4. HINT: Save these credentials in a safe place!
5. Click Set Credentials.

Figure 4-4: Creating Licensing Administrator Credentials

6. You will be presented with a logon screen (along with the same warning messages). Enter the administrator credentials from step #3 and hit the logon button to log into the License Server admin screen (see figure 4-5).




Figure 4-5: Logging into the Licensing Page

Clearing pending authorizations:

The first time the license service configuration is accessed, the system will request authorization of Dashboard itself. This is normal and expected (you can have multiple dashboards). The figure below illustrates what the page should look like upon first configuration.




Figure 4-6: Authorizing the License Service

Click on the Allow button to authorize license server to license your dashboard. The yellow warnings should clear after a couple minutes.

NOTE: If this is a reinstall or upgrade, you may see other authorization requests for other components. This is normal if those

components remain installed. If not, you may have rogue components which should be accounted for.

7. At this point the license service can run in Trial Mode for 30 days, unlicensed. After this it will require a license key OR subscription ID code. There are three license modes:
 - (a) Unlicensed, the license server goes into TRIAL MODE for 30 days, after which it will disable all modules if no license or subscription ID is entered.
 - (b) A license key permanently enables the license server.
 - (c) A subscription ID effectively links this license server to your customer account. (requires internet connection)
8. If you are running the Trial, then move on to step 12.
9. If you have a license key, enter it into the License Key field and click on Set License Key.
10. If you are using a subscription, log in to your customer account and locate your subscription ID or find the one issued by a TSFactory rep. Copy and paste it into the License Key field (no spaces or new lines after the last character which should be an equals '=' sign) and click on Set License Key.
11. The license service should report it has been authorized and is up and running.

For subscriptions - if the license server reports authorization required then you may need to return to your customer account and manually authorize this license server. If you look at your subscription in your customer account, there should now be an "Authorize" button. Click on it to authorize your license server.

Refreshing the Dashboard window should clear the messages after manual authorization.

NOTE: This process can take **up to 5 mins.**

12. The license service should now have an authorization request for Dashboard itself. Refer to figure 4-6. Click on the Allow button.

This process can take several minutes so refresh the window periodically until all the warning messages disappear.

13. Once the messages are gone, the Dashboard should be fully functional and the License Service should be ready to accept authorization requests from other components such as recorders (see figure 4-7).

RecordTS Dashboard Configuration Users Licensing logged on as admin Logout

License server status: Trial Mode (expires 08/21/18) 

License server is running in an unlimited trial mode. It will expire on Tue Aug 21 07:07:13 2018.
[Show/Hide License Key](#) [Show/Hide License Request](#) [Change Licensing Password](#)

License Key:
[Set License Key](#)

Resource	Available	Used
Dashboard	∞	1
Connection	∞	0
Server	∞	0

[Show/hide details](#)

Figure 4-7: Fully Authorized Configuration in Trial Mode

It is now time to begin installing the recorders.

Installing Recorders

Overview

In order to record remote sessions on a Windows server or workstation, a RecordTS “recorder” must be installed on each machine you wish to record. Once a recorder is installed and properly configured, a recorder server license will be pulled from the general pool of recorder licenses held by the RecordTS license service.

There will be brief interruptions in service while the recorders are being authorized by the license service and the overall configuration process is completed.

Please plan for down time while installing recorders in a production environment.

General process

1. Update firewall rules and disable antivirus software
2. Install recorder software *
3. Configure and test database/storage connectivity
4. Configure and test license server connectivity
5. Save the configuration (service will restart)
6. Authorize recorder in Licensing tab of Dashboard console **

IMPORTANT: The RecordTS license service can take up to several minutes to verify and authorize the recorder.

* remote connections will be lost during a system reboot

** sessions will not be recorded by the recorder until it is authorized

Recorder Types

There is currently one type of recorder for VMware Horizon v7.5. This new recorder should only be used for Horizon and not to capture other protocols such as RDP or ICA, which have their own recorder. Only one recorder should be installed on each machine to be recorded.

NOTE: This document will **ONLY** cover installing the Horizon recorder on a Windows Server 2012R2 / 2016 or Windows 8 / Windows 10 workstation running VMware Horizon v7.5 View.

Prerequisites

- ✓ RecordTS Dashboard and License Service installed and configured, ready to authorize and license recorders.
- ✓ A functioning RecordTS Storage Server, configured to accept remote connections (the same one used with Dashboard).
- ✓ A Windows server or workstation with properly configured firewall and VMware Horizon v7.5 View Agent.

NOTE: Please refer to the TSFactory support website for up to date information or contact our support team with concerns or questions prior to installation.

Installation Steps

Pre-installation Requirements

FIREWALL: On the machine to be recorded, verify the firewall is either turned off or let the recorder installer create the necessary rules to allow the recorder service to operate (see support section at the end of this document).

ANTIVIRUS: Temporarily disable any antivirus programs that can interfere with the installation of the recorder service. Also, configure the antivirus program to ignore the recorder service and its working directories. Very important for Windows Server 2016!

Installing the Recorder

1. Download and run the RecordTS-Recorder-VMware-4.1.xxxx.msi installation file on the machine that is to be recorded, which **MUST** have the Horizon View Agent v7.5 installed.

The installation wizard will appear. Close all other programs and then click Next.



Figure 5-1: Installing the Recorder

2. Carefully read the license agreement. If you agree to the terms, select the check box to confirm acceptance of the agreement. Click Next to continue installing. To exit Setup, click Cancel.




Figure 5-2: Accepting the License Agreement

3. Select the directory where the RecordTS recorder service program files will be installed. Only local directories on the local machine can be used. If you do not want to use the default directory suggested by the installer, click Browse... to choose another directory. You may uncheck "Create WebUI Shortcut" to prevent installing shortcuts to each user's application list. You can access the Dashboard webUI with this URL: <http://localhost:8088>.

Click Next to continue.




Figure 5-3: Selecting the Installation Directory

4. Select firewall rules to be created. Check the profiles to create firewall rules for this Recorder. The installer will automatically create the necessary rules to allow other components to communicate with the Recorder service.




Figure 5-4: Creating firewall rules.

5. To start the installation program, click Install. To modify the installation options that are mentioned in the previous steps, click Back. To exit Setup, click Cancel.




Figure 5-5: Beginning the Recorder Installation

6. Once the installation program finishes copying the necessary files to the system, the installation process has successfully completed. To exit the installation wizard, click Finish.



Figure 5-6: Completing the Recorder Installation

7. Windows will ask you to restart the server. Select Yes to restart the server.

NOTE: Restarting the server while logged in remotely will terminate your session. Please use the local console for the following steps.




Figure 5-7: Restarting the System

Configuring the Recorder

- Find and open the Recorder Configuration shortcut in the RecordTS program group. If you elected not to install shortcuts, then you can open a browser and enter this URL:

http://localhost:8088

You will be requested to configure authorization access to the Recorder Configuration console. Enter a login and password (twice), then click on Set Credentials. Keep this information in a safe place for future reference.




Figure 5-8: Recorder Security Configuration

- You will be asked to enter the credentials from the previous step to gain access to the Recorder Configuration.




Figure 5-9: Accessing the Recorder Configuration

- Once you gain access to the Recorder Configuration, you should see the configuration console appear as seen in figure 5-10 below.




Figure 5-10: Recorder Configuration Console

11. Enter the database/storage fields as they were entered in Dashboard and test for connectivity.
12. Enter the License Server hostname. You may leave “localhost” if the License Server is installed on this machine.
13. It is not recommended to change the License Server port address unless it was changed during configuration at the Dashboard.
14. Test for license server connectivity.
15. Set the Buffer Settings – enable if you intend to use this feature.
16. Now that all the settings have been entered and tested, click on Save Config. The service will restart.
17. The recorder configuration console should raise a warning that the recorder requires authorization from the license server. If it does not, refresh the window.




Figure 5-11: Recorder Configuration Console

18. Go to the Dashboard console and satisfy the recorder authorization request by clicking on the Allow button.




Figure 5-12: Recorder authorization request at Dashboard

19. Return to the recorder configuration console and refresh the window. **DO NOT CLICK SAVE**. When the error message clears, usually within 5 minutes, the recorder should be ready to accept connections and record.
20. Verify functionality by connecting remotely using the Horizon client and look for a session to appear in the Dashboard console Sessions tab.
21. The recorder should be up and running now.

Playing Recorded Sessions

The WebPlayer is a handy tool for playback of recording files. It does not require installation and only requires a browser on any Windows machine for convenient playback. User must have security access to the Dashboard to play back sessions.

How to view sessions locally:

1. Enter the Dashboard Console and navigate to the Sessions tab.

RecordTS Dashboard

Sessions Configuration Users Licensing Logged on as admin Logout

User Name: [] User Domain: [] Date Period: From [] - To []
Session Host: [] Client Name: [] Enable wildcards for text filters Clear Apply

Id	Start date	Start time	End date	End time	User name	User domain	Session host	Don't purge	Protocol
1	07/24/18	01:20:04	07/24/18	01:20:39	administrator	TSFACORY	MORTY	<input type="checkbox"/>	MP4 Play Export

Items per page: 25 50 100

Total disk space used by RecordTS database is 365.53 KB.

Enable database purging

2. Locate a session to view.
3. Click on Play and your session will begin playback in a new browser tab.
4. Click on Export to export a session to disk in a standard video format (MP4) which can be played in most media players.
5. Close the tab when done viewing.

How to view sessions remotely:

1. Make sure the Dashboard Security setting “Connections allowed” is set to “From any computer” to allow remote session playback from other computers
2. From a remote browser, enter the following URL:

<http://Dashboard:8084>

Where Dashboard should be replaced with the actual Dashboard hostname or IP address.

3. Once the Dashboard Console appears, log in and navigate to the Sessions tab.
4. Click on Play and your session will begin playback in a new browser tab.
5. There will be at least two parts to the session video - the first is the log on sequence and the second is the actual session activity, in this case a user's desktop (see below).




Figure 6-1: Viewing a Session in the WebPlayer

You may click on either part to view each section. There may be more than two parts if the window was resized during the session.

The video window can be resized to full screen for better viewing.

Most browsers offer exporting which is another way to save individual videos to disk in an MP4 video format. Below is an example of Internet Explorer v11 built-in video player controls.





Figure 6-2: IE v11 Built-in Video Player Controls

Optimizing RecordTS

Dashboard Features

There are many ways to optimize performance and take advantage of special features of RecordTS. Let's start by looking at the Dashboard console:



The screenshot shows the RecordTS Dashboard Configuration page. The top navigation bar includes 'Sessions', 'Configuration', 'Users', and 'Licensing'. The user is logged in as 'admin'. The 'Database' section has three radio buttons: 'Use Microsoft SQL Server', 'Use PostgreSQL Server', and 'Use RecordTS Storage Server' (which is selected). Below this are input fields for 'Storage Server' (HOPPER) and 'Credentials' (admin), with a 'Test Database Connection' button. The 'License Server' section has input fields for 'License Server Host' (localhost) and 'License Server Port' (27279), with a 'Test License Server Connection' button. The 'Security' section has a 'Connections allowed' label and two radio buttons: 'From local computer only' (which is selected and circled in red with an arrow pointing to it) and 'From any computer'. A 'Save Config' button is at the bottom.

Figure 7-1: Allowing remote access to Dashboard

Remote Dashboard Access

The “Connections allowed” feature lets you connect remotely to Dashboard from another computer using a browser. Select the “From any computer” to allow connections from other computers.

NOTE: Changing this feature will reduce security by allowing foreign computers to have access to the Dashboard configuration pages.

This feature is useful if you want to manage Dashboard remotely or allow others the ability to view recorded sessions from their desktop. To view sessions remotely, the user will need security access to the Dashboard prior to viewing any sessions.

To connect remotely, the user will need access permission to connect to the Dashboard machine. Refer to section “Setting up User Accounts

further down this chapter. In a browser on the user's desktop, enter this URL: <http://Dashboard:8084/config> where Dashboard should be replaced with the actual Dashboard hostname or IP address.

Database Purging

Located on the Sessions page in Dashboard, the database purging will automatically remove sessions older than three days (default) or whatever number of days are specified in the settings.




Figure 7-2: Database purge feature

Set the number of days to retain by adjusting the Purge period time. See figure 7-3 for an example of what the screen looks like.

The database will be scanned every 5 minutes for sessions that qualify for purging. The sessions that are older than the purge period will be marked for deletion. A second process will act separately to purge the marked sessions from the database. The two processes work together to manage purging the database continuously. Warning: large sessions can take extended periods of time to purge.




Figure 7-3: Enabling database purging

Retaining Sessions

In order to keep certain sessions from being purged, simply check the "Don't purge" box next to the session you wish to retain. Any checked sessions will be retained until the box is unchecked.

Setting up User Accounts

Users of Dashboard can be assigned accounts that will control which parts of Dashboard they can access. There are two types of accounts: administrator and viewer. Administrators have access to all areas of Dashboard, excluding Licensing, which is configured separately. Viewers only have access to the Sessions tab.

To setup a user account, click on the User tab. You should see the User accounts page as displayed below.




Figure 7-4: Setting up User accounts

There is one master administrator account setup during installation which cannot be deleted. More accounts may be added using the Create User button. You may setup as many user accounts as needed. Existing user accounts may be edited or deleted using the appropriate buttons as depicted below.



Figure 7-5: Managing User accounts

Adding Users

To add a new user, click on Create User. The Create New User dialog box will appear. Enter a login name for the new user along with a password. You will need to enter the same password twice to confirm.




Figure 7-6: Create New User Dialog


Select a role, either Viewer or Administrator. Viewer will only give the user access to the Sessions tab to enable them to view sessions. Viewers will not have access to any of the other areas of Dashboard or Licensing. Administrators will have access to all areas.

You may select Disable password changing to prevent the user from being able to change their password. This can be useful for viewer accounts assigned to a group of users, such as a team of doctors or emergency room personnel.

Click on the Create User button to commit the changes and create the new user account.

Editing Users

Click the Edit button next to a user you wish to change their account settings.



The screenshot shows a dialog box titled "Profile Settings" in green text. Below the title is a horizontal line, followed by the instruction "Use the following form to change settings for user 'joe'". The form contains four input fields: "New Login:" with the value "joe", "New Password:", "New Password Confirm:", and "Disable password changing:" with an unchecked checkbox. Below these fields is a section titled "Confirmation" with the instruction "Enter your password to save changes" and a "Your Password:" input field. At the bottom are two buttons: "Save changes" (green) and "Cancel" (grey).


Figure 7-7: Edit User Profile Dialog

You may change the user's login name, password or disable/enable them from changing their password. You will need to enter your admin password in order to save changes.

Click Save changes to commit the modifications made or Cancel to discard the changes and return to the previous screen.

Deleting User Accounts

To remove a user account, click on the Delete button next to their account login. You will be presented with a confirmation dialog box. Click on the Delete button to complete the process or Cancel to abort the mission and return to the previous screen.



The screenshot shows a dialog box titled "Confirm User Delete" in green text. Below the title is a horizontal line, followed by the instruction "Please confirm that you want to delete user 'joe'". At the bottom are two buttons: "Delete" and "Cancel", both in grey.

Figure 7-8: Delete User Confirmation Dialog

Recorder Features

RecordTS recorder service has a number of built-in features that can enhance performance and data integrity. Let's take a look at the RecordTS for VMware Horizon Recorder Configuration:

RecordTS for VMware Horizon

Database Settings

Storage Server: VM502 ?
Credentials: admin / [●●●] ?
Enable TLS: ?

Test Database Connection

License Server

License Server Host: VM502 ? License Server Port: 27279 ?

When no licenses are available: Drop user connection Don't record user connection ?

Test License Server Connection

Buffer Settings ←

Memory buffer size: 256 MB ? File buffer: Enable: ?

Save Config

Figure 8-1: Recorder Configuration Dialog

Buffer Settings

This feature of the recorder is used to buffer session data during times of slow responsiveness or loss of connectivity to the database. In these instances, session data will continue to be streamed to local storages, depending on configuration settings. Once connectivity is restored, locally cached session data will be sent to the database and normal operation will continue.

The first place the recorder will store data is to local memory. The size of the buffer can be set in the Memory buffer size (MB) field. The default size is 256 MB. This option is always enabled allowing for brief moments of intermittent database connectivity.

The next place the recorder will store data is to a local file. This option is normally disabled and must be enabled for the recorder to take advantage of it. To enable, check the box labeled "Enable file buffer".

This action will cause additional fields to be displayed as depicted in Figure 8-2 below.

Buffer Settings

Memory buffer size: MB ? File buffer: Enable: Size: MB ?

File buffer path: ?

Figure 8-2: Enabling the File Buffer Feature

The file buffer size can be adjusted by entering a number in the Size (MB) field. The default buffer size is 1024 MB. The file buffer file name and path can be set in the File buffer path field. It is ok to leave the default values as they are.

To summarize, when connectivity to the database becomes intermittent or lost, immediately the recorder will buffer session data into local memory until it fills. Then if file buffering is enabled, the recorder will store session data into a local file. When the file is completely filled (i.e. the file size is met), the recorder will cease storing data and automatically terminate the session. The user will lose their connection to prevent further unrecorded activity and also to act as a passive alarm system for the admins (users will complain).

RecordTS Storage Server Backup Tool

The RecordTS Storage Server comes with scripts that allow you to back up and restore the database files. There are also options to check the integrity and display information on an existing archive.

WARNING: The RecordTS Storage Server service **must be stopped** before creating a backup of the database. This means all users must be logged off and no session recording is happening. Plan ahead for system to be offline while the backup or restore takes place.

Here are the basic modes for performing a backup of the storage database along with restoring it and operations to verify the integrity of an archive.

Help

This mode will display instructions on how to use the tool.

To display tool help:


On the machine that RecordTS Storage Server is installed, open a DOS command or Powershell window and navigate to the RecordTS Storage Server program files folder here:

```
C:\Program Files (x86)\TSFactory\StorageServer
```

Execute the following command:

```
> rts-storage-backup --help
```

Here is the output:



```
Administrator: Command Prompt
C:\Program Files (x86)\TSFactory\StorageServer>rts-storage-backup --help
rts-storage-backup v.4.0.1059
Copyright (c) TSFactory. All rights reserved.

Usage: rts-storage-backup [-h|--help] COMMAND
  This util allows to backup and restore configuration and database of RecordTS
  Storage Server

Available options:
  -h, --help          Show this help text

Available commands:
  backup              Backup configuration files and Storage Server
                     repository
  restore             Restore configuration files and Storage Server
                     repository from zip-archive
  check               Check the specified backup archive
  info                Show description of the specified backup archive

See 'rts-storage-backup.exe COMMAND [-h|--help]' to read about a specific
command.
C:\Program Files (x86)\TSFactory\StorageServer>_
```

Backup

This mode will copy the database files to a specified location using various command line switches to tailor the archive.

Simple backup procedures:

On the machine that RecordTS Storage Server is installed, first stop the storage server service, then open a DOS command or Powershell window and navigate to the RecordTS Storage Server program files folder here:

```
C:\Program Files (x86)\TSFactory\StorageServer
```

Execute the following command:

```
> rts-storage-backup backup -d backupfolder
```

where: *backupfolder* is the directory to store the backup.

The backup process will take time to copy the database files so expect some down time while the process completes.

Command line switches include:

- d, --directory Directory to save an archive with backup data
- n, --name ARG Specify name of backup archive.
- c, --comment Include a comment with backup archive.
- compress Compress files in an archive.
- no-compression Store files without compression.
- bzip Pack data with BZip2 algorithm.
- f, --force Suppress user input requests.
- h, --help Display help.

If a custom name is not specified, the tool will generate a name for you with the format: RTS_Storage_ServerYYYYMMDD-XXXXXX.zip

The .zip file extension will automatically added if no extension was specified.

Where: YYYY = year, MM = month, DD = day, XXXXXX = internally generated timestamp suffix.

Restore

This mode restores data from an archive.

Simple restore procedures:

On the machine that RecordTS Storage Server is installed on, first stop the storage server service, open a DOS command or Powershell window and navigate to the RecordTS Storage Server program files folder here:

```
C:\Program Files (x86)\TSFactory\StorageServer
```

Execute the following command:

```
> rts-storage-backup restore -a archive
```

where: *archive* is the path\filename of the archive.

The tool will warn you the existing configuration files will be removed. This is normal. Press Enter to continue restoring or type 'n' to quit.

The restore process will take time to extract and copy the database files from the archive so expect some down time while the process completes.

Command line switches include:

- a, --archive ARG Specify name of the archive file to restore.
- f, --force Suppress user input requests.
- h, --help Display help.

Check

This mode verifies archive integrity.

On the machine that RecordTS Storage Server is installed, open a DOS command or Powershell window and navigate to the RecordTS Storage Server program files folder here:

```
C:\Program Files (x86)\TSFactory\StorageServer
```

Execute the following command:

```
> rts-storage-backup check -a archive
```

where: *archive* is the name and location of the archive file.

The integrity checking process may take time so plan accordingly.

Command line switches include:

- a, --archive ARG Specify name of the archive file to restore.
- h, --help Display help.

Info

This mode reports information about an archive.

On the machine that RecordTS Storage Server is installed, open a DOS command or Powershell window and navigate to the RecordTS Storage Server program files folder here:

```
C:\Program Files (x86)\TSFactory\StorageServer
```

Execute the following command:

```
> rts-storage-backup info -a archive
```

where: *archive* is the name and location of the archive file.

The information reporting process may take time so plan accordingly.

Command line switches include:

- a, --archive ARG Specify name of the archive file to restore.
- h, --help Display help.


Backup Tool Examples

For the following examples, you should stop the storage server service before performing a backup or restore operation. All commands are executed from the RecordTS program files folder in a DOS command or Powershell window. See previous section for more information on this process.


To backup the database to another machine (network share) on your network, you will first need to map a local network drive to that machine.

Mapping a Network Drive


On the RecordTS Storage Server, open File Explorer and right mouse click over the Network icon.



Click on "Map network drive..." and enter the network share name in the Folder field or click Browse to locate the folder. Modify the other settings and click on Finish to map the share to a local drive.



The mapped drive should appear in the drive list. You are now ready to use it for backups. See below.



Examples

Example #1:

Backup the database to mapped network drive Z: using archive name “rtsbackup2018.zip” and add a comment to the archive.

```
> rts-storage-backup backup -d Z: -n rtsbackup2018.zip -c  
“weekly video backup”
```

Here is a screen shot of the backup procedure:



```
Administrator: Command Prompt  
C:\Program Files (x86)\TSFactory\StorageServer>rts-storage-backup backup -d Z: -n rtsbackup2018.zip -c "weekly video backup"  
This may take a few minutes to complete. Please wait.  
RecordIS data has been saved to Z:\rtsbackup2018.zip  
C:\Program Files (x86)\TSFactory\StorageServer>_
```

Example #2:

Restore the database from an archive file located on a locally mapped network drive Z: with the archive file name “rtsbackup2018.zip”.

```
> rts-storage-backup restore -a z:\rtsbackup2018.zip
```

Here is a screen shot of the restore procedure:



```
Administrator: Command Prompt  
C:\Program Files (x86)\TSFactory\StorageServer>rts-storage-backup restore -a z:\rtsbackup2018.zip  
During restoring process current data and configuration files will be removed. Are you sure you want to continue?  
[y] Yes [n] No (default is "y"):  
y  
This may take a few minutes to complete. Please wait.  
Removing existed configurations files and data...  
RecordIS data has been successfully restored.  
C:\Program Files (x86)\TSFactory\StorageServer>_
```

Example #3:

Check the integrity of an archive file located on a locally mapped network drive Z: with the archive file name “rtsbackup2018.zip”.

```
> rts-storage-backup check -a z:\rtsbackup2018.zip
```

Here is a screen shot of the archive integrity check procedure:




```
Administrator: Command Prompt
C:\Program Files (x86)\TSFactory\StorageServer>rts-storage-backup check -a z:\rts
sbackup2018.zip
Checking for: Z:\rtsbackup2018.zip
The backup archive has been checked. OK
C:\Program Files (x86)\TSFactory\StorageServer>_
```

Example #4:

Display the information from an archive file located on a locally mapped network drive Z: with the archive file name “rtsbackup2018.zip”.

```
> rts-storage-backup info -a z:\rtsbackup2018.zip
```

Here is a screen shot of the archive information dump:



```
Administrator: Command Prompt
C:\Program Files (x86)\TSFactory\StorageServer>rts-storage-backup info -a z:\rts
backup2018.zip
Backup archive: rtsbackup2018.zip
Date of backup: 2018-10-27 23:33:04.5661899 UTC
RecordIS version: 4.0.1059
Uncompressed data size: 57570784
weekly video backup
C:\Program Files (x86)\TSFactory\StorageServer>_
```

Note the last line will be the comment if one was specified during backup.

Support

How to get support

Below are some solutions to the more common problems encountered during product installation and configuration. The TSFactory website is another excellent resource for solutions to commonly found problems.

If you cannot resolve your problem using these solutions, please contact our technical support team at support@tsfactory.com.

Support Disclaimer:

Assistance is limited to providing suggestions for problem resolution and in some extreme cases, remote debug. The customer is expected to try any suggestions and use whatever resources they have to resolve their problems. Customers are encouraged to work with local resellers and partners that are listed on our website to assist in problem resolution.

Dashboard Problems

Database connection errors:

Make sure you have selected RecordTS Storage Server for the storage database. The RecordTS for VMware Horizon recorder with only work with the native RecordTS database storage.

Verify connectivity to the database server using the Test Connectivity button. Make sure you have entered the proper username and password you selected when setting up the RecordTS Storage Server.

Check the Enable TLS checkbox if you intend to use this option. You may uncheck this box to test connectivity without TLS enabled.

Make sure the machine Dashboard is installed on has access to the storage server machine and verify firewall rules are updated and correct. Try turning off firewalls for testing only.

License Server connection errors:

If you have installed the license service on the same machine as Dashboard, then you can leave the default settings for license server name as "localhost". Otherwise you will need to enter the hostname or IP address of the server where the license

server was installed. Make sure you have configured the firewall to allow connections to the license server, especially if it is in a DMZ.

Dashboard console will not display:

Usually this is due to another program using port 8084. Either change the other program to use another port or contact support for instructions on changing the Dashboard port.

Licensing Problems

License server reports subscription in use by another license server or license server needs to be authenticated:

Please log into your customer account at www.tsfactory.com and navigate to the subscriptions page. There you should find the list of your subscriptions and in the list you should find a button named "Authorize". If you cannot find the button to authorize the server, then check your external firewall is allowing connections to cla.tsfactory.com on port 27280. If the Authorize button is there, click on it to authorize the license server. Refresh the Dashboard window and the license server should acknowledge the authorization and within a minute report "License server is up and running."

License server warnings are not clearing after configuration:

Usually they will disappear within 4-5 minutes. Please be patient and wait. Refresh the screen often. If they still are not clearing then contact support for assistance.

Recorder Problems

Database connection errors:

Verify connectivity to the database server by clicking on the Test Connectivity button.

Check firewall rules on both machines for incoming and outgoing connections. You can disable the firewalls temporarily for testing purposes only.

Make sure the storage server service is started. Look for any related warnings or errors in the Windows event logs.

Users can connect to their desktops, but no recordings are being made:

Verify the correct recorder is installed on the target machine to be recorded and that the users are using the Horizon View Client to access their desktops.

Make sure recording for Horizon View Agent has been enabled via the Windows registry entry. Contact TSFactory support for more information on this.

List of Service Ports

License Service: 27279
Dashboard Config: 8084
Recorder Config: 8088
Storage Server: 2022 (unencrypted)
2023 (Secure TLS)